

SLIDING, ADJUSTABLE, NO ASSEMBLY

Made-to-measure sliding insect screen — CORRE


It runs on bearings and fits most aluminium joinery. Supplied assembled and adjustable, for sliding windows and doors.

- No assembly
- Spring-loaded, adjustable corners
- Internal bearings
- Brush seal

SLIDING, ADJUSTABLE, NO ASSEMBLY


The natural solution for sliding windows and doors

The CORRE follows the sliding leaf of your window or patio door. The top corners are spring-loaded and the bottom ones adjustable, so it fits existing joinery without any building work. It slides very smoothly on internal bearings, and the brush seal closes the whole perimeter.



- **No assembly.** It arrives assembled: slot it into the track and adjust.
- **Spring-loaded, adjustable corners.** A perfect fit to existing aluminium joinery, even when it is not quite square.
- **Internal bearings.** Very smooth, effortless sliding.
- **Brush seal.** Closes the perimeter and keeps insects out.
- **Cross-bar included.** From 160 cm high, the intermediate cross-bar is included in the price.

Models



CORRE

Sliding windows and doors

The diagrams show the maximum recommended dimensions.

CORRE

Technical data

Width	50 to 150 cm
Height	50 to 240 cm
Mesh	PVC-coated fibreglass
Profile	Aluminium, adjustable
Cross-bar	Included from 160 cm high
Supplied with	Assembled frame, mesh and brush seal

What is supplied

- Assembled frame with spring top corners and adjustable bottom corners
- Mesh and brush seal
- Intermediate cross-bar (from 160 cm)

Available colours


- White 9016
- Anthracite 7016
- Anthracite 7016 textured matt
- Grey 7011
- Grey 7022
- Brown 8014
- Brown 8017
- Green 6009
- Matt black
- Golden oak

White as standard; other colours carry a surcharge, calculated in the online shop.

CORRE

Components and details

CORRE — components



1	Profile
2	Compensating spring
3	Adjustable top square
4	Brush 5 × 9
5	Brush 5 × 9
6	Soft rubber seal 6.5
7	Mosquito net
8	Square cover
9	Adjustable bottom square
10	Adjusting wheel

estoresportugal.com — Made to measure in Avanca

CORRE

How to measure

Measure the width and height of the opening at three points and always use the smallest figure. If in doubt, our guide shows you how, step by step.

On quote

Pet-resistant mesh (74 % stronger), cat flap, other colours and sizes outside the range: we make them on quote.

Frequently asked questions

Will it fit my sliding window?
It fits most aluminium joinery. Measure the width of the window leaf and the clear height; if in doubt, send us a photo.

And a sliding patio door?
Yes, up to 150 cm wide per leaf and 240 cm high. For wider openings, order two screens or ask for a quote.

Can I have a cat flap?
Yes, but outside the shop: ask us for a quote stating the size.

Work out your size in the online shop

Enter the width and height of the opening and see the price at once, VAT included, at estoresportugal.com. For larger projects, ask for a quote.

Contact

contact@estoresportugal.com
+351 256 094 874
+33 1 83 64 73 44
WhatsApp +351 923 325 489

OKJAFE, Lda

R. do Falcão 245, 3860-139 Avanca
Portugal
Monday to Friday · 08:15–12:30 · 13:30–17:15