

HINGED SCREEN DOOR

Made-to-measure screen door — PRACTIK, 1 or 2 doors

A hinged aluminium and mesh door, for openings without a door and with no extra security need. Right or left opening, optional self-closing hinge.

Right or left opening | Frame with or without overlap | Optional self-closing | 1 or 2 doors

HINGED SCREEN DOOR


For the opening onto the garden or terrace

The PRACTIK is the screen door for those who want to leave the house door open without letting insects in. It is made with right or left opening, and the outer frame can have an overlap (flush with the facade) or no overlap (inside the opening) to make fitting easier and give a clean finish. The self-closing hinge shuts the door by itself.




- **Right or left opening.** State it when ordering, seen from inside.
- **Frame with or without overlap.** Flush with the facade or inside the opening, depending on the doorway.
- **Optional self-closing.** Spring hinge that closes the door — essential with children or pets.
- **1 or 2 doors.** Up to 1.0 m for one door; up to 2.0 m for two doors (equal or unequal).
- **Cross-bar and handle.** Intermediate cross-bar included, for door rigidity.

Models



PRACTIK — 1 door
Up to 100 × 240 cm



PRACTIK — 2 doors
Up to 200 × 240 cm

The diagrams show the maximum recommended dimensions.

PRACTIK

Technical data

1 door	60–100 × 190–240 cm
2 doors	120–200 × 190–240 cm
Opening	Right or left
Frame	With or without overlap
Self-closing	Optional, by hinge
Mesh	PVC-coated fibreglass

What is supplied

- Door with frame and mesh, assembled
- Intermediate cross-bar
- Handle and fixings
- Self-closing hinges, if chosen

Available colours

- White 9016
- Anthracite 7016
- Grey 7011
- Brown 8014
- Matt black
- Golden oak
- Matt anodised silver
- Matt anodised bronze

White as standard; other colours carry a surcharge, calculated in the online shop.

PRACTIK

Components and details

PRACTIK — components



1	Frame
2	Door
3	Traverse cover
4	Traverse
5	Plinth
6	Net bead
7	Frame cap
8	Door top cap
9	Door bottom cap
10	Hinge
11	Handle
12	Threaded rod
13	Brush 5.5 × 12
14	Magnet bar
15	Rubber seal
16	Mosquito net

estoresportugal.com — Made to measure in Avanca

PRACTIK

How to measure

Measure the width and height of the opening at three points and always use the smallest figure. If in doubt, our guide shows you how, step by step.

On quote

Pet-resistant mesh (74 % stronger), cat flap, other colours and sizes outside the range: we make them on quote.

Frequently asked questions

Is the PRACTIK a security door?
No: it is a screen door, for openings that need no extra security. It does not replace a security door.

What is the maximum width?
Up to 100 cm for one door and 200 cm for two doors. Beyond that, ask for a quote.

Can I have a cat flap?
Yes, outside the shop (24 × 29 cm pet door for cats and dogs). Ask us for a quote.

Work out your size in the online shop

Enter the width and height of the opening and see the price at once, VAT included, at estoresportugal.com. For larger projects, ask for a quote.

Contact

contact@estoresportugal.com
+351 256 094 874
+33 1 83 64 73 44
WhatsApp +351 923 325 489

OKJAFE, Lda

R. do Falcão 245, 3860-139 Avanca
Portugal
Monday to Friday · 08:15–12:30 · 13:30–17:15